


Driving Directions: **From I-215 North** exit at 5th St., turn left. In 1.75 miles location is on the right. Locked gate. Staging area on the left or along access road.
From I-215 South exit at 5th St., turn right. In 1.75 miles location is on the right. Locked gate. Staging area on the left or along access road.

Latitude/Longitude: 34.106782, -117.332691	Highway Postmile: SBD 66 21.3	Railroad Milepost: BNSF 55 30	Cell Service: Yes
--	---	---	--------------------------

Nearest Address: 1927 W. 5Th St, San Bernardino, CA 92411

Overview Street Map



Hazards, Restrictions and Advice for Responders

- San Bernardino County Flood Control will need to be contacted to close dam and provide access
- Access by locked gate
- Rattlesnake

Resources-At-Risk

Ecological: Coastal California Gnatcatcher, Pocket Free-tailed Bat, Western Yellow Bat, San Bernardino Kangaroo Rat, San Diego Black-tailed Jackrabbit, San Diego Desert Woodrat, Northwestern San Diego Pocket Mouse, Los Angeles Pocket Mouse, Coast Horned Lizard, California Glossy Snake, Southern California Legless Lizard, Parry's Spineflower, Santa Ana River Woollystar

Economic: N/A

Tribal: Contact the Native American Heritage Commission at (916) 373-3710.

Cultural and Historic: Contact the South Central Coastal Information Center at (657) 278-5395.

Site Description and Field Notes

Site Location/Segment:	Site Description and Field Notes: Small staging area south of the dam. Habitat goes from sand into concrete channels. The main channel has a remote electronic gate. The channels to the east are overflows.			
Gradient: Low	River Width: 351m (1152ft)	Vehicular Access: 4WD Pickup	Recreational Use: N/A	Boat Launches: N/A
Site Contact/s:	San Bernardino County Public Works/Flood Control (909) 387-8063			
ESI Shoreline Type:	1B Exposed, solid man-made structures; 4 Sandy bars and gently sloping Banks.			

Site Images

Upstream



Downstream



Straight Across



RR = River Right RL = River Left

Photo Date: 12/28/2017

Site Objectives: Close main channel gate to prevent oil from spreading downstream. Earthen berm/underflow dam to prevent further downgradient migration of oil and enable oil collection when surface water is present. Intercept trench or excavation to capture oil when surface water is absent.

Implementation: Contact county flood control to close main channel gate. Minimize ingress and egress routes through vegetation to prevent erosion and disturbance of the surrounding ecosystem.

Staging Area Location and Capabilities/Amenities/Waste Management: Small staging area south of the dam.

Response Strategy Map (overview)




Table of Response Resources

Type	Sub-Type	Size	Unit	Quantity	Special Equipment or Comments
Backhoe/Excavator					For earthen berm/underflow dam or intercept trench/excavation
Piping					For earthen berm/underflow dam