

Driving Directions:

From North: Take I-5 South and take Exit 786, turn west (left) onto Anderson Grade Road and cross over the Klamath River. Turn south (left) onto Hwy 96 toward Happy Camp/Willow Creek. From the USFS Happy Camp Ranger District office, proceed 1 mile west to the Indian Creek River Access.


From South: Take I-5 North and take Exit 786, merge directly onto Hwy 96. Continue south and west on Hwy 96 to Happy Camp. From the USFS Happy Camp Ranger District office, proceed 1 mile west to the Indian Creek River Access.

There is an unimproved gravel boat launch at the confluence of Indian Creek and the Klamath River.

Latitude/Longitude: 41.78986, -123.37937	Highway Postmile: Hwy 96 SIS 41.00	Railroad Milepost: N/A	Cell Service: Yes - Verizon Tested
--	--	-------------------------------	--

Nearest Address: 1 mile from Happy Camp, CA

Overview Street Map



Hazards, Restrictions and Advice for Responders

- Responders should be aware of seasonal swift water concerns. See nearest gauge for flow information at: [CNRFC - Hydrology - River Guidance - Graphical RVF - SEIC1 \(noaa.gov\)](http://CNRFC-Hydrology-River-Guidance-Graphical-RVF-SEIC1.noaa.gov)
- Boat launches may become impacted/unusable during years with excess sediment load being transported downstream or inaccessible during high flow conditions.
- Toxic algal blooms have been known to occur during periods of warm weather and low river flow. Avoid water contact during these conditions. The following website tracks voluntary reporting of locations where toxic algal blooms have been reported: https://mywaterquality.ca.gov/habs/where/freshwater_events.html

Resources-At-Risk

Ecological: Chinook Salmon, Coho Salmon, Pacific Lamprey, Klamath River Lamprey, Northern Spotted Owl, Steelhead, Foothill Yellow-legged Frog, Western Pond Turtle

Economic: Rafting guide services, fishing guide services, local tourism




Tribal: Contact the Native American Heritage Commission at (916) 373-3710.

Cultural and Historic: Contact the Northeast Information Center at (530) 898-6256.

Site Description and Field Notes

<p>Site Location/Segment: KLA-SK-F-005</p>	<p>Site Description and Field Notes: This access point is a popular destination for those seeking to recreate on the river. There is a vault restroom, large parking area, but no potable water. A gravel road leads down to the water's edge. Elevation is at 1000 ft.</p>			
<p>Gradient: Medium to High</p>	<p>River Width: 42.98 m (141 ft)</p>	<p>Vehicular Access: Most vehicle types can access this location.</p>	<p>Recreational Use: Camping, fishing, rafting/kayaking, water contact.</p>	<p>Boat Launches: Unimproved gravel boat launch located on-site. Raft, kayaks, or shallow draft vessels recommended.</p>
<p>Site Contact/s:</p>	<p>USFS – Klamath National Forest Happy Camp Ranger District (530) 493-2243</p>		<p>Karuk Tribe (530) 493-1600</p>	
<p>ESI Shoreline Type:</p>	<p>Mixed sand and gravel bars and gently sloping banks (5); Vegetated steeply sloping bluffs (8F); Vegetated low banks (9B)</p>			

Site Images

<p>Upstream</p> 	<p>Downstream</p> 	
<p>Straight Across</p> 		
<p>RR = River Right RL = River Left</p>		<p>Photo Date: 9/10/2019</p>

Site Objectives: Deflection boom with product collection and shoreline protection. Swift river velocity may impact efficacy of oil collection operations.

Implementation: Start from river-left shoreline above confluence with Indian Creek and deploy 600 feet of swiftwater boom toward eddy at boat launch. Collect product with skimmer and pump directly to vacuum truck or tanks on shore. Deploy additional 200 feet of boom for shoreline protection.

Staging Area Location and Capabilities/Amenities/Waste Management: Stage equipment and manage wastes in large parking area above boat launch.

Response Strategy Map (overview)



Table of Response Resources

Type	Sub-Type	Size	Unit	Quantity	Special Equipment or Comments
Boom	Swiftwater	8 to 12-in. skirt	Feet	800	Need ancillary equipment including anchors and stakes
Boom	Sorbent	5 to 8-in. dia.	Feet	1,600	
Pads and Sweep	Sorbent		Bale	40	
Skimmer	Disc or Drum			2	If needed
Response Vessel	Response and Boom Vessel			2	1 each, minimum. Kayaks, rafts, or shallow draft vessels recommended.
Personnel			Crew	6 to 10	2 vessel operators and 2 deckhands, minimum
Vacuum Truck		70	BBL	1	If needed
Storage Tank		20,000	Gallon	5	If needed