

Driving Directions:


From West: Take Hwy 299 to Willow Creek and travel east on Hwy 96 for 23.5 miles to Weitchpec. Turn left and head west on Hwy 169 for 0.2 miles, turn left on Old Village Rd and follow road down to gravel bar below.

From East: Take Hwy 96 west from Happy Camp and travel 59 miles to Weitchpec. Turn right and head west on Hwy 169 for 0.2 miles, turn left on Old Village Rd and follow road down to gravel bar below.

Latitude/Longitude: 41.187520, -123.71255	Highway Postmile: Hwy 169 HUM 33.7	Railroad Milepost: N/A	Cell Service: No - Verizon Tested
---	--	-------------------------------	--

Nearest Address: End of Old Village Road

Overview Street Map



Hazards, Restrictions and Advice for Responders

- Responders should be aware of seasonal swift water concerns, swift waters in winter and spring. Tribal fishing nets and submerged objects present, uneven terrain at response site. See nearest gauge for flow information at: [CNRFC - Hydrology - River Guidance - Graphical RVF - ONSC1 \(noaa.gov\)](http://CNRFC-Hydrology-River-Guidance-Graphical-RVF-ONSC1.noaa.gov)
- Toxic algal blooms have been known to occur during periods of warm weather and low river flow. Avoid water contact during these conditions. The following web site tracks voluntary reporting of locations where toxic algal blooms have been reported: https://mywaterquality.ca.gov/habs/where/freshwater_events.html

Resources-At-Risk

Ecological: Bald Eagle, California Condor, Great Blue Heron, Northern Spotted Owl, Osprey, Fisher, Chinook Salmon, Coho Salmon, Green Sturgeon, Pacific Lamprey, Steelhead, Western Pond Turtle, Foothill Yellow-legged Frog, Southern Torrent Salamander, Western Bumble Bee

Economic: Rafting guide services, fishing guide services, tribal fishing

Tribal: Contact the Native American Heritage Commission at (916) 373-3710.

Cultural and Historic: Contact the Northwest Information Center at (707) 588-8455.

Site Description and Field Notes

<p>Site Location/Segment: KLA-HM-B-015</p>	<p>Site Description and Field Notes: This site is at the confluence of the Trinity and Klamath Rivers within the Yurok Reservation and provides access to the river. There are no amenities. There is a store with supplies and fuel in town on Hwy 96. Elevation is ~170 feet.</p>			
<p>Gradient: med/high (summer flow)</p>	<p>River Width: 48 m (156 ft)</p>	<p>Vehicular Access: Most vehicles can access this location.</p>	<p>Recreational Use: Camping, fishing, rafting/kayaking, water contact.</p>	<p>Boat Launches: Motorized vessels can launch from the gravel bar.</p>
<p>Site Contact/s: Yurok Tribe Spill Hotline (707) 954-0462</p>	<p>Yurok Tribe Office of Emergency Services Duty Officer (707) 951-6844</p>		<p>Yurok Tribe, Klamath Office (707) 482-1350 Yurok Tribe, Weitchpec Office (530) 625-4130</p>	
<p>ESI Shoreline Type:</p>	<p>Vegetative steeply sloping bluffs (8F); Gravel bars and steeply-sloping bluffs (6A)</p>			

Site Images

Upstream



Downstream



Straight Across



RR = River Right RL = River Left

Photo Date: 9/24/2019

Site Objectives: Deflection boom with product collection and shoreline protection

Implementation: Start from RL shoreline below confluence and deploy up to 500 feet of swift water boom toward eddy along river bar on RR. Collect product with skimmer and pump directly to vacuum truck or tanks on shore or use sorbents. Deploy additional 200 feet of boom for shoreline protection at collection site.

Staging Area Location and Capabilities/Amenities/Waste Management: Stage equipment and manage wastes away from river on gravel bar.

Response Strategy Map (overview)



Table of Response Resources

Type	Sub-Type	Size	Unit	Quantity	Special Equipment or Comments
Boom	Swift Water Boom	8 to 12 in. skirt	Feet	700	Need ancillary equipment including anchors and stakes
Boom	Sorbent Boom	5 to 8 in. dia.	Feet	1400	
Pads and Sweep	Sorbent		Bale	40	
Skimmer	Disc or Drum			1	If needed
Response Vessel	Response and Boom Vessel			2	1 each, minimum. Kayaks, rafts, or shallow draft vessels recommended.
Personnel			Crew	6 to 10	2 vessel operators and 2 deckhands, minimum
Vacuum Truck		120	BBL	1	If needed
Storage Tank		20,000	Gallon	5	If needed